



MILLER **GTS**

PERFORMANCE CONNECTED TO **SAFETY**
HYDRAULIC COMPACT QUICK COUPLER FROM 1.5 TO BHL

MILLER GTS

HYDRAULIC COMPACT QUICK COUPLER
SUITABLE FOR MINI EXCAVATORS FROM
1.5 TONNE TO BHL.



The world of quick coupler technology has changed... Enter the new Miller GTS Series. With its sleek lines carving a lighter path through the ground, this phenomenal quick coupler heralds a new era of unrivalled power and cutting-edge coupler technology.



ISO COMPLIANCE



UNIVERSAL OEM CAPABILITIES



SLIMLINE DESIGN

DUAL ABS INDEPENDENT
BACK UP SYSTEM ENSURES
THAT THE ATTACHMENT
REMAINS SECURELY ENGAGED.

TURN YOUR COMPACT EXCAVATOR
FROM A DIGGING MACHINE TO A
MULTI-TOOLED CARRIER,
MAXIMISING MACHINE UPTIME.

NEW LOW PROFILE DESIGN
PROVIDES A SHORTER PIN TO
POINT MEASUREMENT DELIVERING
MAXIMUM BREAKOUT FORCE FOR
GREATER PRODUCTIVITY.

TECHNICAL SPECIFICATION

Excavator Weight	Excavator Weight	Weight	Pin Diameter	Pin Centres	Pick up Width
Range 0A	1T	16.5kg	30mm	85-118mm	96mm
Range 0B	1-2T	19kg	30mm	121-161mm	103mm
Range 1A	2T	24kg	35mm	125-150mm	122mm
Range 1B	2-4T	29kg	35mm	165-213mm	117mm
	2-4T	35kg	37.85mm & 40mm	172-215mm	117mm
Range 2A	5T	57kg	45mm	220-285mm	144mm



MILLERGROUND BREAKING.COM

40 YEARS OF

MILLER GTS

PERFORMANCE
CONNECTED TO **SAFETY**

Miller GTS compact series offers an ISO 13031 compliant novel locking system, designed to ensure that the widest set of OEM pin pickups are safely attached all from the comfort and security of your cab - a true industry benchmark for safety.



MAINTENANCE-FREE

FEWER COMPONENTS WHICH REDUCES SERVICE INTERVALS, DELIVERING A TRUE FIT AND FORGET HASSLE FREE SOLUTION.



HIGH-STRENGTH CAST DESIGN

100% CAST FROM HIGH TENSILE STEEL, DELIVERING EXCEPTIONALLY STRONG PERFORMANCE DESPITE BEING THE LIGHTEST IN ITS CLASS.



TWIN LOCK

QUICK, SAFE ATTACHMENT CHANGES IMPROVING ON SITE SAFETY WHILST MAXIMISING MACHINE PRODUCTIVITY WITH LESS DOWN TIME.

MACHINE SELECTOR

	Range 0A	Range 0B	Range 1A	Range 1B (35mm)	Range 1B (40mm)	Range 2A
	1-1.5T	1.5-2T	2T	2-4T	2-4T	5T
BOBCAT	N/A	324/E10/E17/W19/E20	N/A	E25/E26/E32/E35	N/A	E42/E45/E50
CASE	N/A	CX16/CX17/CX18	N/A	CX26/CX30/CX33/CX37	N/A	CX-57
CAT	N/A	301.5/301.7301.4	N/A	302.4/302.7	303/303.5	305D/305E/305.5
HITACHI	ZX14 - ZX18	N/A	N/A	ZX26/ ZX25 -ZX22U2/ZX27U2/ ZX29U1	ZX27-3/ZX30U2/ZX35U2/ ZX30U3/ZX35U3/ZX33U3/ ZX38U3	ZX48/ZX55
HYUNDAI	N/A	R16-9/R17/R18	N/A	R25Z-9A/R25Z-9AK,R27Z- 9,R30Z-9AK	R35Z-9/R35Z-9A	55-9/55W-9
JCB	N/A	N/A	8025/8026/8027/8030/8032	N/A	N/A	48Z-1/51R/55Z-1/57-C
KOBELCO	N/A	SK17SR-5/SK17	N/A	SK-25/26/26	SK-30/33	SK-45/53
KOMATSU	N/A	PC12/14/15/16/17	N/A	PC27/30/33	N/A	PC 45/53
KUBOTA	KX41, U15	KX-61-3/U20/U24	KX71-3 (WIDE FRAME) U27 (NARROW FRAME)	N/A	KX30/KX36/	KX42/KX57/U48/U55
LIUGONG	N/A	N/A	N/A	N/A	N/A	904C/D
NEUSON	1200-1501RD, 1302-1502RD	N/A	N/A	EZ28/3503/EZ35/EZ35	N/A	ET65/EZ51
TAKUECHI	N/A	TB216/219, TB014/016/TB15R	N/A	TB125/228/228	TB135/235/238	TB240/250/258
VOLVO	EC15-18	N/A	EC20B	EC-25/28/28	EC35/36	ECR-40/
YANMAR	B12/14/15/17, SV15/17, VI015/17	N/A	N/A	VI020 (35mm) B25V B27/37, B30V,VI025/30/33/35/38 B37,		V10-50/57

INNOVATION





FIND US AT

UK

Bassington Lane
Bassington Industrial Estate
Cramlington
Northumberland
NE23 8AD

INFO@MILLERGROUNDBREAKING.COM



AUSTRALIA

Unit 1/12
Technology Drive
Appin
Australia
NSW 2560

INFO@MILLERGROUNDBREAKING.COM.AU

INDIA

No 259 1st Cross 4th
Phase Peenya
Industrial Area
Peenya Bangalore
560058

INDIA@MILLERGROUNDBREAKING.COM

MILLERGROUNDBREAKING.COM